

Non-Sticky Sun Gel

PRODUCTS

Raw Material	Composition	% w/w	Supplier
--------------	-------------	-------	----------

PHASE A

Versastique™ ME 40T	Hydrogenated Polyisobutene, Butyl Stearate, Isostearyl Alcohol, Butylene/Ethylene/Styrene Copolymer, Ethylene/Propylene/Styrene Copolymer, Dibutyl Lauroyl Glutamide, Pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate	59.95	Penreco
C12-15 Alkyl Benzoate	C12-15 Alkyl Benzoate	15.00	

PHASE B

C12-15 Alkyl Benzoate	C12-15 Alkyl Benzoate	4.00	
Eusolex® OCR	Octocrylene	10.00	Merck
Eusolex® OS	Ethylhexyl Salicylate	5.00	Merck
Eusolex® 9020	Butyl Methoxydibenzoylmethane	5.00	Merck
RonaCare® AP	Bis-ethylhexyl Hydroxydimethoxy Benzylmalonate	1.00	Merck
Ronastar® Golden Sparks	Calcium Aluminum Borosilicate, Silica, C.I. 77891, Tin Oxide	0.05	Merck

MIXING INSTRUCTIONS

Heat phase A to 85°C and mix until homogenous.
Premix phase B and add to phase A, mixing until homogenous.
Cool with stirring and fill into suitable containers.